

RESOLUTION NO. JR-036-2025

A JOINT RESOLUTION OF THE LAFAYETTE CITY COUNCIL AND THE LAFAYETTE PARISH COUNCIL CERTIFYING THAT LAFAYETTE PARISH WILL COMPLY WITH THE REQUIREMENTS OF THE STATE OF LOUISIANA OFF-SYSTEM BRIDGE REPLACEMENT PROGRAM

BE IT RESOLVED by the Lafayette City Council and the Lafayette Parish council, that:

WHEREAS, the Code of Federal Regulations as enacted by the United States Congress mandates that all structures defined as bridges on all public roads shall be inspected, rated for safe load capacity and posted in accordance with the National Bridge Inspection Standards and that an inventory of these bridges be maintained by each state; and

WHEREAS, the responsibility to inspect, rate and load post those bridges under the authority of Lafayette City-Parish Consolidated Government in accordance with those standards is delegated by the Louisiana Department of Transportation and Development to the Lafayette City-Parish Consolidated Government.

NOW, THEREFORE, BE IT FURTHER RESOLVED by the governing authority of the Lafayette City-Parish Consolidated Government (herein referred to as the Parish) that the Parish in regular sessions assembled does hereby certify to the Louisiana Department of Transportation and Development (herein referred to as the DOTD) that for the period 1 January, 2026 through 31 December, 2026:

1. The Parish will perform all interim inspections on all Parish owned or maintained bridges in accordance with the National Bridge Inspection Standards and Specifications for the National Bridge Inventory.
2. All bridges owned or maintained by the Parish will be structurally analyzed and rated by the Parish as to the safe load capacity in accordance with the American Association of State Highway and Transportation Officials (AASHTO) Manual for Bridge Evaluation. The load posting information that has been determined by the DOTD for all bridges where the maximum legal load under Louisiana state law exceeds the load permitted under the operating rating as determined above will be critically reviewed by the Parish. Load posting information will be updated by the Parish to reflect all structural changes, any obsolete structural ratings, or any missing structural ratings.
3. All Parish owned or maintained bridges which require load posting or closing will be load posted or closed in accordance with the table in the DOTD Load Rating Directives. All DOTD supplied load posting information concerning a bridge will be critically reviewed by the Parish Engineering Division prior to load posting.
4. All bridges owned or maintained by the Parish are shown on the attached list in the format specified by the DOTD. Corrections to data supplied to the Parish by the DOTD are noted.
5. All bridges owned and maintained by the Parish are accessible to the DOTD for all routine bridge inspections. The Parish will clear vegetation as required upon DOTD request.

These stipulations are prerequisites to participation by the Parish in the Off-System Bridge Replacement Program.

SECTION 1: All of the aforementioned “Whereas” clauses are adopted as part of this resolution.

SECTION 2: The Lafayette City Council and the Lafayette Parish Council certify that Lafayette Parish will comply with the requirements of the State of Louisiana Off-System Bridge Replacement Program.

SECTION 3: All resolutions, or parts thereof, in conflict herewith are hereby repealed.

This resolution having been submitted to a vote, the vote on behalf of the Lafayette City Council thereon was as follows:

YEAS: Broussard, Naquin, Hebert, Hooks, Boudreaux

NAYS: None

ABSENT: None

ABSTAIN: None

This resolution having been submitted to a vote, the vote on behalf of the Lafayette Parish Council thereon was as follows:

YEAS: Tabor, Richard, Stansbury, Guilbeau, Rubin

NAYS: None

ABSENT: None

ABSTAIN: None

AND the resolution was declared adopted on this, the 7th day of October, 2025.



JOSEPH GORDON-WILTZ
LAFAYETTE CLERK OF THE COUNCIL

Lafayette Bi An Acknowledgement Sheet

Please review the bi-annual report for accuracy, marking any discrepancies on the report. If there are no discrepancies, sign and return this sheet to the district office. If there are discrepancies then return both this sheet and the corrected report to the district office. The review is to be completed and documentation returned to the district office no later than August 11th.

Recall	This field highlighted red indicates that an inspection is past due.	Examples 999999
Parish		
Latitude		
Longitude		
Posted Load	This field highlighted indicates that the Posted Load is higher than the required posting.	
Required Posting	When the field has a numeric value the Posted Load can not exceed this field.	05...
Route		
Bridge Type		
Year Built		
Bridge Name		
Bridge Location		
Place Code		
Deck Condition Rating		
Superstructure Condition Rating		
Substructure Condition Rating		
Culvert Condition Rating		
NSTM Inspection Condition		
ADT		
Year of ADT	This field highlighted indicates the year of ADT needs to be updated along with the ADT.	2016
Owner		
Maintenance Responsibility		
Scour Vulnerability	This field highlighted indicates that the structure requires a streambed profile on every inspection.	U
Bridge Length		
Routine Inspection Date		
Special In Lieu Inspection Date		
Parish Inspection Required	This field highlighted indicates the frequency of interim inspections.	Y12 Month
Parish Inspection Date		
Parish Inspection Due Date	This field highlighted indicates the date of the next scheduled inspection.	M - YY
Inventory Load Rating Factor		
Operating Load Rating Factor		
Date Rated		

Local Owner Review
Completed by

Kenny Brinkley
Print

Kenny Brinkley
Sign

7-24-2025
Date

Civil Engineer Dixie Spec II
Lafayette Consolidated Govt.

July 20... dl Annual Report

Recall	032812	28 - Lafayette	200046	28 - Lafayette	200052	28 - Lafayette	000362	28 - Lafayette	000058	28 - Lafayette	030232	030481	28 - Lafayette	032805
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.12182	30.08915	30.13091	30.15261	30.32671	30.31959	30.32561	30.31959	30.32561	30.32561	30.31959	30.32561	30.31841	
Longitude	-91.97694	-91.95912	-92.01229	-91.97698	-92.03643	-92.04662	-92.0461	-92.04662	-92.0461	-92.0461	-92.04662	-92.0461	-92.04318	
Posted Load	Not Posted	Not Posted	Closed	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	
Route	S. Bernard Rd.	Marreau Rd.	Serenity Rd.	S Bernard Rd	Rue Basin	N. Church St.	RAILROAD STREET	Andre Street						
Bridge Type	COSLAB	COPCSS	TTTRES	COPCSS	COPCSS	COSLAB	TTTRES	FRACLV						
Year Built	2017	1991	1972	2025	1981	1995	2016	2019						
Bridge Name	S. Bernard Rd. @ Cypress Bayou	Marreau Rd. @ LA SALLE COULEE	Serenity Rd. @ COULEE	S Bernard Rd @ Des Poches Coulee	Rue Basin @ Coulee	N. Church St. @ Coulee	RAILROAD STREET @ DRAIN	Andre Street @ Gaston Coulee						
Bridge Location	0.8 Miles S. of La 3073	1.0 M SW of LA 92	0.3 Mi. West of Bonin Rd	0.6 mi SW of Hwy 90	.1 M W of I49 S Srve Rd	.13 MI N of E St Peter St	.3 MI S of LA 182	.25 MI E of N Church St						
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	10075 - Broussard city	12665 - Carencro city	12665 - Carencro city	12665 - Carencro city	12665 - Carencro city						
Deck Condition	7	7	4	9	7	6	7	7						
Rating	7	7	4	9	7	6	7	7						
Superstructure	7	7	4	9	7	6	7	7						
Condition Rating	7	7	4	9	7	6	7	7						
Substructure	8	7	1	8	5	7	5	5						
Condition Rating	8	7	1	8	5	7	5	5						
Culvert Condition	N	N	N	N	N	N	N	N						
Rating	N	N	N	N	N	N	N	N						
NSTM Inspection														
Condition														
ADT	1597	320	40	387	100	13800	200	75						
Year of ADT	2022	2020	2020	2024	2024	2020	2022	2019						
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency						
Maintenance	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency						
Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency						
Scour Vulnerability	A	A	D	A	D	A	D	A						
Bridge Length	60	57	30	60	57	60	00024	000024						
Route Inspection	1/11/2024	1/8/2024	10/16/2024	11/17/2023	1/8/2024	10/3/2023	10/2/2023	1/9/2024						
Special In Lieu														
Inspection Date														
Parish Inspection														
Required	N00	N00	Y12	N00	N00	N00	N00	N00						
Parish Inspection														
Date			6/10/2025											
Parish Inspection Due			Apr-26											
Date														
Inventory Load	1.15	1.14	0.8	1.31	0.68	1.11	0.93	1.54						
Rating Factor	1.93	1.47	1.13	1.7	0.88	1.43	1.33	1.93						
Operating Load	1.93	1.47	1.13	1.7	0.88	1.43	1.33	1.93						
Rating Factor	1.93	1.47	1.13	1.7	0.88	1.43	1.33	1.93						
Date Rated	4/16/2016	8/10/2020	1/18/2024	11/17/2023	2/14/2019	6/15/2017	2/5/2024	9/6/2019						

Current

Current

Recall	200231	200232	000094	006390	006470	006480	007210	007260
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.32015	30.32207	30.17338	30.22228	30.20902	30.21246	30.20216	30.21734
Longitude	-92.04764	-92.0485	-92.04737	-92.02575	-92.0344	-92.0251	-92.03103	-91.99259
Posted Load	20-35 ✓	20-35 ✓	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Required Posting	20-35	20-35	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	Jack St.	E. Armand St.	Meridian Ave	W. UNIVERSITY AVE.	JOHNSTON STREET	JOHNSTON STREET	South College Rd.	Surry St.
Bridge Type	CNTCDG	CNTCDG	TITLAM	BOXCLV	COSLAB	COSLAB	COSLAB	STSBM
Year Built	1949	1949	2014	1926	1958	1958	1967	1948
Bridge Name	Jack St. @ COULEE	E. Armand St. @ COULEE	Meridian Ave @ Retention pond	W. UNIVERSITY AVE. @ CREEK	JOHNSTON STREET @ COULEE MINE BR	JOHNSTON STREET @ COULEE MINE BR	South College Rd. @ COULEE MINE	Surry St. @ VERMILION RIVER
Bridge Location	0.1 MI E of LA 182	0.06 MI NE of LA 182	300 FT N of Biltmore Way	0.5 MI NW of US 167	0.3 MILES EAST OF LA 3025	0.8 MI NE OF LA 3025	1.1 MI W OF W. PINHOOK RD	0.8 MI EAST OF US 90
Place Code	12665 - Carencro city	12665 - Carencro city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	7	7	N	6	6	6	6
Superstructure	6	6	7	N	6	6	6	7
Substructure	6	6	7	N	4	6	6	6
Condition Rating	6	6	7	N	4	6	6	6
Culvert Condition	N	N	N	7	N	N	N	N
Rating								
NSTM Inspection								
Condition	200	200	280	23405	29320	29320	21734	16800
ADT	2020	2020	2020	2024	2023	2023	2021	2020
Year of ADT								
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	D	A	A	A	A	A	A
Bridge Length	28	27	0030	23	80	80	100	162
Route Inspection	1/30/2024	1/30/2024	1/23/2024	11/1/2023	12/7/2023	12/7/2023	3/18/2024	10/16/2023
Date								
Special in Lieu								
Inspection Date								
Parish Inspection	N00	N00	N00	N00	N00	N00	N00	N00
Required								
Parish Inspection Date								
Date								
Parish Inspection Due								
Date								
Inventory Load	0.56	0.58	2.46	1	0.61	0.77	0.61	0.71
Rating Factor	0.73	0.75	3.4	1.3	0.9	1.27	1.02	0.92
Operating Load								
Rating Factor								
Date Rated	6/22/2017	6/22/2017	2/26/2019	10/1/2024	9/27/2023	6/11/1976	5/1/1992	6/29/2018

Current

Current

Recall	030005	28 - Lafayette	030018	28 - Lafayette	030019	28 - Lafayette	030023	28 - Lafayette	030026	28 - Lafayette	030031	28 - Lafayette	030038	28 - Lafayette	030041
Parish	28 - Lafayette	30.19524	30.15101	30.15533	30.28713	30.29396	30.26326	30.21149	30.21149	30.21149	30.21149	30.21149	30.21149	30.21149	30.26011
Latitude	30.19524	-92.00719	-92.01898	-92.01069	-92.01277	-91.98956	-92.0184	-92.03544	-92.03544	-92.03544	-92.03544	-92.03544	-92.03544	-92.03544	-91.99495
Longitude	-92.00719	Not Posted	30-XX 30-XX	15-25	25-40	20-35	20-35	20-35	20-35	20-35	20-35	20-35	20-35	20-35	Not Posted
Posted Load	Not Posted	Not Posted	30-XX	15-25	25-40	20-35	20-35	20-35	20-35	20-35	20-35	20-35	20-35	20-35	Not Posted
Required Posting	Not Posted	Not Posted	30-XX	15-25	25-40	20-35	20-35	20-35	20-35	20-35	20-35	20-35	20-35	20-35	Not Posted
Route	E Kaliste Saloom	Falla Rd	Tolson Rd	E. Butcher Switch	Gloria Switch Rd	Acadian Hills Ln.	Cajundome Blvd.	Shadow Bluff Dr							
Bridge Type	COSLAB	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	BOXCLV	STSBM						
Year Built	1991	1978	1977	1981	1983	1984	1981	1981	1979						
Bridge Name	E Kaliste Saloom @ COULEE DES POCHES	Falla Rd @ COULEE	Tolson Rd @ COULEE	E. Butcher Switch @ DRAINAGE COULEE	Gloria Switch Rd @ COULEE	Acadian Hills Ln. @ DRAINAGE CANAL	Cajundome Blvd. @ CREEK	Shadow Bluff Dr @ Francois Coulee							
Bridge Location	0.6 SW of US 90	0.50 MI E of Verot Sch Rd	1.2 MI E of Verot Sch Rd	0.58 MI E of I-49	1.04 MI EAST OF LA 728	0.75 MI SW of I-49	0.62 OF ML W. OF US 167	.25 MI NE of LA Ave							
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	6	6	5	6	4	6	6	N	N	N	N	N	N	N	6
Rating	6	6	5	6	4	6	6	N	N	N	N	N	N	N	6
Superstructure	6	6	5	6	4	6	6	N	N	N	N	N	N	N	6
Condition Rating	6	6	5	6	4	6	6	N	N	N	N	N	N	N	6
Substructure	7	4	5	6	5	5	5	N	N	N	N	N	N	N	7
Condition Rating	7	4	5	6	5	5	5	N	N	N	N	N	N	N	7
Culvert Condition	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Rating	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NSTMI Inspection															
Condition															
ADT	12400	3040	2580	1122	8240	1400	2360	370							
Year of ADT	2020	2020	2020	2020	2021	2020	2020	2020							
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	U	U	U	A	U	U	A							
Bridge Length	98	38	57	38.0	38	60	23	100							
Routine Inspection Date	10/16/2023	10/18/2023	10/2/2023	10/2/2023	2/26/2024	10/17/2023	10/5/2023	10/24/2023							
Special In Lieu					2/3/2025										
Inspection Date															
Parish Inspection Required	N00	N00	N00	N00	Y12	N00	N00	N00							
Parish Inspection Date					8/23/2024										
Parish Inspection Due Date					Aug-25										
Inventory Load	1.13	0.62	0.43	0.60	0.47	0.53	0.70	1							0.94
Rating Factor	1.13	0.62	0.43	0.60	0.47	0.53	0.70	1							0.94
Operating Load	1.46	0.81	0.56	0.77	0.61	0.70	1.3	1.22							
Rating Factor	1.46	0.81	0.56	0.77	0.61	0.70	1.3	1.22							
Date Rated	9/24/2018	5/9/2018	5/10/2018	5/7/2018	4/13/2022	5/11/2018	4/3/2023	5/27/2009							

Current

Current

Current

Current

Current

Current

Current

replaced w/
box culvert

July 2024 Annual Report

Recall	030042	28 - Lafayette	030045	28 - Lafayette	030047	28 - Lafayette	030048	28 - Lafayette	030049	28 - Lafayette	030051	28 - Lafayette	030052	28 - Lafayette	030053	28 - Lafayette
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.226991	30.22468	30.20132	30.196	30.19031	30.16679	30.16982	30.16982	30.16982	30.16679	30.16679	30.16982	30.16982	30.16982	30.16982	30.14165
Longitude	-92.03411	-92.06914	-92.07388	-92.00513	-92.00529	-92.03203	-92.05915	-92.05915	-92.05915	-92.03203	-92.03203	-92.05915	-92.05915	-92.05915	-92.0562	-92.0562
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	Laser Ln.	Ambassador Caffery	Guilbeau Rd.	W. Congress	S. College Ext.	Plantation Blvd.	Dover Rd.	Ramblewood Dr.	Laser Ln.	Ambassador Caffery	Guilbeau Rd.	W. Congress	S. College Ext.	Plantation Blvd.	Dover Rd.	Ramblewood Dr.
Bridge Type	COPCSS	COPSGR	BOXCLV	BOXCLV	BOXCLV	COPCSS	COPCSS	COPCSS	BOXCLV	BOXCLV	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS
Year Built	1985	1985	1984	1984	1985	1987	1974	1985	1985	1985	1987	1974	1974	1985	1985	1985
Bridge Name	Laser Ln. @ COULEE	Ambassador Caffery @ COULEE	Guilbeau Rd. @ DRAINAGE	W. Congress @ COULEE	S. College Ext. @ DES POCHES DRAINAGE CANA	Plantation Blvd. @ DRAINAGE	Dover Rd. @ DRAINAGE	Ramblewood Dr. @ Anselm Coulee	Laser Ln. @ COULEE	Ambassador Caffery @ COULEE	Guilbeau Rd. @ DRAINAGE	W. Congress @ COULEE	S. College Ext. @ DES POCHES DRAINAGE CANA	Plantation Blvd. @ DRAINAGE	Dover Rd. @ DRAINAGE	Ramblewood Dr. @ Anselm Coulee
Bridge Location	1.23 MI SE of LA 182	.51 MI S of LA 3184	.1 MI E. OF LA 3073	0.01 MI E of AMB Caffery	0.37 MI N of LA 3095	.2 MI. E. OF K Saloom Rd	0.24 MI N OF LA 3073	.2 MI E of Kaliste Saloom	1.23 MI SE of LA 182	.51 MI S of LA 3184	.1 MI E. OF LA 3073	0.01 MI E of AMB Caffery	0.37 MI N of LA 3095	.2 MI. E. OF K Saloom Rd	0.24 MI N OF LA 3073	.2 MI E of Kaliste Saloom
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	7	N	N	N	7	7	7	N	N	7	7	7	7	7	7
Rating	7	7	N	N	N	7	7	7	N	N	7	7	7	7	7	7
Superstructure	7	7	N	N	N	7	7	7	N	N	7	7	7	7	7	7
Condition Rating	7	7	N	N	N	7	7	7	N	N	7	7	7	7	7	7
Substructure	5	7	N	N	N	5	8	5	N	N	5	8	5	5	5	5
Condition Rating	5	7	N	N	N	5	8	5	N	N	5	8	5	5	5	5
Culvert Condition	N	N	7	6	6	N	N	N	6	6	N	N	N	N	N	N
Rating	N	N	7	6	6	N	N	N	6	6	N	N	N	N	N	N
NSTM Inspection																
Condition																
ADT	211	18612	1478	29990	1280	592	700	185	211	1280	592	700	185	211	1280	592
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	U	U	A	A	A	U	A	U	A	A	U	A	A	U	A	U
Bridge Length	57	100	41	28	21	39	57	57	21	21	39	57	57	57	57	57
Routine Inspection	1/8/2024	10/23/2023	1/9/2024	1/9/2024	10/5/2023	10/9/2023	1/11/2024	10/16/2023	10/5/2023	10/5/2023	10/9/2023	1/11/2024	10/16/2023	10/9/2023	10/16/2023	10/16/2023
Special In Lieu Inspection Date																
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date																
Parish Inspection Due Date																
Inventory Load	0.77	0.91	0.77	0.77	1	0.74	1.27	0.96	1	1.3	0.95	1.65	1.65	1.24	1.24	1.24
Rating Factor	1.00	1.44	1.00	1.00	1.3	0.95	1.65	1.24	1.00	1.3	0.95	1.65	1.65	1.24	1.24	1.24
Operating Load	1.00	1.44	1.00	1.00	1.3	0.95	1.65	1.24	1.00	1.3	0.95	1.65	1.65	1.24	1.24	1.24
Rating Factor	1.00	1.44	1.00	1.00	1.3	0.95	1.65	1.24	1.00	1.3	0.95	1.65	1.65	1.24	1.24	1.24
Date Rated	6/27/2018	12/17/1990	9/14/2021	9/14/2021	4/3/2023	8/27/2018	7/12/2018	6/25/2018	9/14/2021	4/3/2023	8/27/2018	7/12/2018	6/25/2018	8/27/2018	7/12/2018	6/25/2018

July 2024 Annual Report

Recall	030054	030055	030063	030064	030065	030076	030078	030079
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.1427	30.14212	30.23548	30.29333	30.15435	30.15533	30.23566	30.21596
Longitude	-92.05151	-92.0541	-91.9917	-91.9728	-92.0333	-92.00927	-92.05868	-92.0611
Posted Load	10-15	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Required Posting	10-15	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	E. Peck Rd.	Canaan Rd	E. Pinhook Rd.	Gloria Switch Rd.	W. Bluebird Dr.	Sarah Dee Pkwy.	Walker Rd.	Dulles Rd.
Bridge Type	LWPCSS	COPCSS	BOXCLV	COPCSS	COPCSS	COPCSS	COPCSS	COSLAB
Year Built	1989	2010	1989	1987	1989	1978	1988	1989
Bridge Name	E. Peck Rd. @ ANSELM COULEE	Canaan Rd @ ANSELM COULEE	E. Pinhook Rd. @ COULEE	Gloria Switch Rd. @ BAYOU ST. CLAIRE	W. Bluebird Dr. @ COULEE	Sarah Dee Pkwy. @ COULEE	Walker Rd. @ COULEE	Dulles Rd. @ COULEE MINE
Bridge Location	.4 MI E of Kallist Saloom	0.4 MI E Kalliste Saloom	0.18 MI N of LA 94	1.3 Miles West of LA 354	0.6 Miles NE of La 3073	0.085 miles NE of Tolson	1.6 MI W of University	0.7MI WEST OF LA 3025
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	6	7	N	7	7	7	7	7
Rating	6	7	N	7	7	7	7	7
Superstructure	6	7	N	7	7	7	7	7
Condition Rating	6	7	N	7	7	7	7	7
Substructure	5	7	N	7	5	5	5	7
Condition Rating	5	7	N	7	5	5	5	7
Culvert Condition	N	N	7	N	N	N	N	N
Rating	N	N	7	N	N	N	N	N
NSTIM Inspection								
Condition								
ADT	607	172	2653	8240	1480	280	2000	1560
Year of ADT	2020	2020	2020	2021	2020	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	U	A	A	A	U	U	A	U
Bridge Length	76	75	31	133	57	38	49	81
Routine Inspection Date	10/12/2023	10/12/2023	10/18/2023	2/26/2024	10/4/2023	10/25/2023	10/19/2023	10/23/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	0.56	1.41	1.00	1.75	0.62	1.05	1.08	0.85
Operating Load Rating Factor	0.73	2.36	1.30	2.75	0.80	1.36	1.40	1.11
Date Rated	9/13/2018	2/8/2011	10/1/2024	8/19/2002	8/28/2018	8/29/2018	7/18/2018	5/1/2020

Current

Recall	030081	030083	030105	030120	030121	030186	030246	030366
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.24601	30.19907	30.20926	30.16004	30.19403	30.17077	30.18147	30.21947
Longitude	-92.02704	-92.00244	-92.00092	-92.03417	-92.02944	-91.98714	-92.10782	-92.07975
Posted Load	Not Posted	Not Posted	Not Posted	25-40 ✓	15-25 ✓	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	25-40	Not Posted	Not Posted	Not Posted	Not Posted
Route	Cora St.	E Kalliste Saloom	E. University Ave.	E. Martial Ave.	W. Bayou Pkwy	Commission Blvd.	Ridge Rd	Eraste Landry Rd.
Bridge Type	COPCSS	BOXCLV	COPSGR	COPCSS	CNTCDG	COPCSS	COSLAB	BOXCLV
Year Built	1981	1991	1988	1976	1993	1993	1996	2008
Bridge Name	Cora St. @ COULEE MINE BRANCH	E Kalliste Saloom @ DRAINAGE DITCH	E. University Ave. @ VERMILION RIVER	E. Martial Ave. @ COULEE	W. Bayou Pkwy @ MINE COULEE CUT-OFF CANA	Commission Blvd. @ COULEE DES POCHEs	Ridge Rd @ COULEE ILE DES CANNES	Eraste Landry Rd. @ Ile Des Cannes Bayou
Bridge Location	0.02 MI N of W. Willow St	0.2 MI SOUTH LA 728-2	0.02 MI SE OF US 90	0.90 MI NW of LA 339	0.47M WEST OF LA 3025	0.70 MI NE of LA 182	2.0 MI EAST OF LA 342	0.40 MI E of LA 93
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	N	7	6	6	7	7	N
Superstructure Condition Rating	7	N	7	6	7	7	7	N
Substructure Condition Rating	7	N	7	5	7	6	7	N
Culvert Condition Rating	N	7	N	N	N	N	N	7
NSTMI Inspection Condition								
ADT	1201	12329	4400	3080	5000	760	14524	7088
Year of ADT	2020	2020	2020	2020	2020	2020	2021	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	A	A	U	A	U	A	A
Bridge Length	57	22	333	38	120	76	120	26
Routine Inspection Date	1/23/2024	10/12/2023	10/24/2023	10/17/2023	10/16/2023	1/29/2024	9/13/2024	10/10/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	0.90	1	0.62	0.98	1.20	0.84	1.33	0.95
Operating Load Rating Factor	1.17	1.3	0.80	1.27	1.59	1.08	2.25	1.24
Date Rated	8/28/2018	10/1/2024	4/30/2019	8/27/2018	5/31/2019	7/17/2018	10/16/1997	2/2/2021

Current Current

Recall	030408	030442	032802	032814	200002	200015	200072	200074
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.14954	30.24018	30.13846	30.21054	30.16886	30.19576	30.27833	30.18111
Longitude	-92.08009	-92.06019	-92.06439	-92.08486	-91.98007	-92.09508	-91.98465	-92.00326
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	03...	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	Bruce St	E. Amedee Dr.	Kaliste Saloom Rd.	Dulles Dr.	Tubing Rd.	W. Congress St.	Maryview Farm Rd	Sage Glenn Ln.
Bridge Type	BOXCLV	COPCSS	CCPSGR	BOXCLV	TITRES	COPCSS	COPCSS	COPCSS
Year Built	2012	2015	2019	2022	1973	1992	1986	1984
Bridge Name	Bruce St @ ACADIANA CANAL	E. Amedee Dr. @ SUNBEAM COULEE	Kaliste Saloom Rd. @ Anselm Coulee	Dulles Dr. @ Coulee	Tubing Rd. @ DES POCHES COULEE	W. Congress St. @ Ile Des Carnes Coulee	Maryview Farm Rd @ MANOR PARK COULEE	Sage Glenn Ln. @ DES POCHES COULEE
Bridge Location	.08 MI E of Raymond St	0.35 MI E OF LA 3073	0.07 MI. NE of La 733	0.1 MI E of LA 93	0.10 MI S of US 90 Serv R	0.2 MI W of La 93	1.15 MI NE of I-10	.08 MI NE of W Pinhook Rd
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	N	7	9	N	6	7	6	7
Rating	N	7	9	N	7	7	6	7
Superstructure Condition Rating	N	7	9	N	7	7	6	7
Substructure Condition Rating	N	8	7	N	6	5	6	6
Culvert Condition Rating	8	N	N	8	N	N	N	N
NSTMI Inspection Condition								
ADT	436	383	14643	1228	340	3200	340	79
Year of ADT	2020	2020	2020	2021	2020	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	A	A	A	A	D	A	A
Bridge Length	27	60	000345	24	50	51	57	57
Routine Inspection Date	10/4/2023	10/10/2023	1/9/2024	1/11/2024	10/16/2023	10/9/2023	1/27/2024	1/23/2024
Special In Lieu								
Inspection Date Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due								
Inventory Load Rating Factor	0.96	1.34	1.67	2.27	1.4	1.00	1.14	1.30
Operating Load Rating Factor	1.39	1.74	2.42	2.94	1.86	1.30	1.47	1.69
Date Rated	2/1/2021	5/20/2015	6/20/2019	5/7/2023	2/5/2024	7/2/2024	8/10/2020	8/30/2018

Current

Recall	200076	200084	200113	200116	200128	200134	200139	200152
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.17939	30.26401	30.22391	30.29371	30.19556	30.27801	30.15457	30.20464
Longitude	-92.05414	-91.99808	-92.05617	-91.98334	-92.06299	-91.98279	-92.00406	-92.04753
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	15-25 ✓	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	15-25	Not Posted	Not Posted
Route	Harwell Dr.	Daigle St.	Eraste Landry Rd.	Gloria Switch Rd	Guilbeau Rd.	Maryview Farm Rd.	Bonin Rd.	Old Maurice Rd.
Bridge Type	COPSSGR	COPCSS	BOXCLV	LWPCSS	BOXCLV	LWPCSS	COPCSS	COPCSS
Year Built	1987	1999	2011	1971	1983	1977	2015	1974
Bridge Name	Harwell Dr. @ DRAINAGE	Daigle St. @ Francois Coulee	Eraste Landry Rd. @ SUNBEAM COULEE	Gloria Switch Rd @ VERMILION RIVER	Guilbeau Rd. @ COULEE	Maryview Farm Rd. @ VERMILION RIVER	Bonin Rd. @ ISAAC VEROT COULEE	Old Maurice Rd. @ MINE COULEE
Bridge Location	.2 MI NE of Grande Ave	.60 MI E of LA 728-1	0.10 MI W of LA 3184	1.4 MI EAST OF LA 314	0.30 MI NW of US 167	0.56 MI N of I-10	0.85 MI SW of LA 182	0.1 MI NE of Vital Street
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	7	N	5	N	5	8	7
Superstructure	7	7	N	5	N	5	8	7
Condition Rating	7	7	N	5	N	5	8	7
Substructure	8	6	N	5	N	6	7	7
Condition Rating	8	6	N	5	N	6	7	7
Culvert Condition	N	N	7	N	6	N	N	N
Rating	N	N	7	N	6	N	N	N
NSTM Inspection Condition								
ADT	1162	475	4092	8240	6000	340	4590	760
Year of ADT	2020	2022	2020	2021	2022	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	D	A	D	A	D	A	A
Bridge Length	64	95	26	135	26	133	50	57
Routine Inspection Date	1/11/2024	1/27/2024	1/22/2024	5/13/2024	10/2/2023	1/27/2024	10/12/2023	1/23/2024
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load	1.37	1.30	1.53	0.83	0.77	0.54	1.22	1.33
Rating Factor	2.06	1.69	1.98	1.41	1.00	0.66	1.58	1.72
Operating Load								
Rating Factor								
Date Rated	6/6/2019	8/27/2018	1/26/2021	8/19/2002	9/14/2021	7/5/2018	5/20/2015	9/18/2018

Current

Recall	200153	200154	200155	200156	200157	200159	200163	200164
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.19077	30.19225	30.22016	30.21033	30.2213	30.19164	30.18855	30.28175
Longitude	-92.05254	-92.06464	-92.07434	-92.05199	-92.0373	-92.06524	-92.00528	-92.01767
Posted Load	Not Posted	30-XX 30-XX ✓	30-XX 30-XX ✓	35-XX 35-XX ✓	25-40 ✓	25-40 ✓	Not Posted	15-25 ✓
Required Posting	Not Posted	30-XX	30-XX	35-XX	25-40	25-40	Not Posted	15-25
Route	Yolande Dr.	Idlewood Blvd.	Galbert Rd.	W. Congress St.	W. Congress St.	Maple Dr.	Industrial Pkwy	High Meadow Blvd
Bridge Type	LWPCSS	LWPCSS	LWPCSS	COPCSS	LWPCSS	LWPCSS	COSLAB	COPCSS
Year Built	1965	1971	1977	1968	1968	1971	2012	1974
Bridge Name	Yolande Dr. @ COULEE	Idlewood Blvd. @ COULEE	Galbert Rd. @ COULEE	W. Congress St. @ MINE COULEE	W. Congress St. @ MINE BRANCH COULEE	Maple Dr. @ COULEE	Industrial Pkwy @ DES POCHES COULEE	High Meadow Blvd @ COULEE
Bridge Location	0.03 MI NE of Rena Dr	0.25 MI W of US 167	0.85 MI W of I-10	0.4 Miles SW of LA 3025	0.65 MI W. LA182	0.10 MI W of Birch Dr	0.38 MI NE of LA 182	4 MI N of Toronto Dr.
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	6	7	7	5	6	7	6
Rating	7	6	7	7	5	6	7	6
Superstructure Condition Rating	7	6	7	7	5	6	7	6
Substructure Condition Rating	8	5	4	7	7	5	7	4
Culvert Condition Rating	N	N	N	N	N	N	N	N
NSTM Inspection Condition								
ADT	550	720	620	15700	15120	1500	2700	1100
Year of ADT	2020	2020	2020	2020	2020	2020	2022	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	A	A	A	A	A	A	D
Bridge Length	38	38	39	133	57	38	100	38
Routine Inspection Date	1/11/2024	1/22/2024	10/23/2023	1/22/2024	1/27/2024	1/22/2024	1/23/2024	1/23/2024
Special In Lieu								
Inspection Date Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due								
Inventory Load Rating Factor	0.60	0.62	0.63	0.73	0.60	0.60	0.80	1.17
Operating Load Rating Factor	0.78	0.80	0.82	0.95	0.78	0.77	1.04	1.52
Date Rated	9/27/2018	7/16/2018	8/29/2018	9/17/2018	9/27/2018	4/23/2018	8/28/2020	8/30/2018

Current Current Current Current Current Current Current

Recall	200165	200166	200167	200221	200223	200224	200226	200228
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.28096	30.17201	30.18674	30.22489	30.23568	30.22366	30.23807	30.21844
Longitude	-92.01931	-91.99161	-92.04779	-92.0376	-92.03886	-92.02166	-92.00167	-92.02691
Posted Load	Not Posted	Closed	Not Posted	20-35	20-35	20-35	20-35	20-35
Required Posting	Not Posted	30-XX	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	20-35
Route	High Meadow Blvd	Beau Pre Rd.	Ayreshire Dr.	S. St. Louis St	Walker Rd	W. Pont Des Mouton	Louisiana Ave.	W. St. Mary Blvd.
Bridge Type	COPCSS	LWPCSS	COPCSS	BOXCLV	BOXCLV	BOXCLV	BOXCLV	BOXCLV
Year Built	1974	1978	2012	1970	1973	1962	1966	1968
Bridge Name	High Meadow Blvd @ COULEE	Beau Pre Rd. @ DE POCHES COULEE	Ayreshire Dr. @ Rena Coulee	S. St. Louis St @ MINE BRANCH COULEE	Walker Rd @ MINE BRANCH COULEE	W. Pont Des Mouton @ FRANCOIS COULEE	Louisiana Ave. @ WEBB COULEE	W. St. Mary Blvd @ COULEE
Bridge Location	0.08 MI E.O. of I-49	0.70 MI SW of US 90	0.03 MI N of Rena Dr	0.09 MI E of White Oak Dr	0.1 MI. E. Orchid Dr.	0.2 MI. W. of I-49	0.2 MI N OF LA 94	0.40 MI W of US 167
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	6	6	8	N	N	N	N	N
Rating	6	6	8	N	N	N	N	N
Superstructure Condition Rating	6	6	8	N	N	N	N	N
Substructure Condition Rating	5	4	8	N	N	N	N	N
Culvert Condition Rating	N	N	N	7	7	7	7	7
NSTM Inspection Condition								
ADT	1000	400	4092	400	2040	8400	8600	2400
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	D	D	A	A	A	A	A	A
Bridge Length	38	76	60	21	21	39	29	26
Routine Inspection Date	1/23/2024	1/29/2024	1/23/2024	1/27/2024	1/9/2024	1/27/2024	1/9/2024	1/23/2024
Special In Lieu Inspection Date								
Parish Inspection Required	N00	Y12	N00	N00	N00	N00	N00	N00
Parish Inspection Date		8/31/2016						
Parish Inspection Due Date		Jul-25						
Inventory Load Rating Factor	1.10	0.63	1.32	1.03	1.01	1.00	0.65	0.65
Operating Load Rating Factor	1.43	0.82	1.71	1.34	1.31	1.30	0.85	0.85
Date Rated	8/30/2018	5/8/2018	1/6/2012	1/28/2021	1/28/2021	10/1/2024	9/16/2021	9/16/2021

Current

Current

Current

Current

Current

Current

Recall	200229	200230	200233	200286	200331	200645	200646	200647
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.22457	30.23166	30.22804	30.21152	30.2179	30.21962	30.2393	30.223
Longitude	-91.99284	-92.03958	-92.03821	-92.0246	-92.03659	-92.05593	-92.03595	-92.0374
Posted Load	20-35	20-35	20-35	Not Posted	Not Posted	Not Posted	20-35	25-40
Required Posting	20-35	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	20-35	Not Posted
Route	E. Simcoe St.	Eraste Laundry Rd.	Jeanne St	E. Lewis St.	Souvenir Gate Rd.	Dulles Dr.	Madeline Ave.	Oaklawn Ave.
Bridge Type	BOXCLV	BOXCLV	BOXCLV	STSI BM	STSI BM	BOXCLV	BOXCLV	BOXCLV
Year Built	1970	1965	1970	1968	1970	1990	1978	1970
Bridge Name	E. Simcoe St. @ COULEE	Eraste Laundry Rd. @ MINE BRANCH COULEE	Jeanne St @ MINE BRANCH COULEE	E. Lewis St. @ MINE COULEE	Souvenir Gate Rd. @ MINE BRANCH COULEE	Dulles Dr. @ MINE BRANCH COULEE	Madeline Ave. @ MINE BRANCH COULEE	Oaklawn Ave. @ MINE BRANCH COULEE
Bridge Location	0.18 MI E of LA 182	0.06 MI SE of US 90	62FT W of W St Patrick St	0.10 MI SE of Johnston St	0.2 MI SW of Brookside Dr	0.27 MI W. OF LA 3025	0.21 MI W of LA 182	.58 MI W of LA 182
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	N	N	N	6	6	N	N	N
Rating	N	N	N	6	6	N	N	N
Superstructure Condition Rating	N	N	N	6	6	N	N	N
Substructure Condition Rating	N	N	N	6	7	N	N	N
Culvert Condition	6	6	7	N	N	8	7	7
NSTMI Inspection Condition				7				
ADT	2760	5620	480	2000	900	2140	720	500
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2022
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	A	A	A	A	A	A	A
Bridge Length	25	21	21	101	49	58	27	42
Routine Inspection Date	1/23/2024	1/9/2024	1/27/2024	1/23/2024	1/27/2024	1/22/2024	1/9/2024	1/23/2024
Special In Lieu								
Inspection Date Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due								
Inventory Load	0.65	1.00	1.03	0.73	0.41	0.86	0.70	1.06
Rating Factor	0.85	1.30	1.34	0.94	1.38	1.11	0.91	1.34
Date Rated	9/16/2021	10/1/2024	1/28/2021	7/14/2023	11/1/1979	10/30/2020	8/7/2020	8/13/2020

Current

Current

Current

Current

Current

Recall	200648
Parish	28 - Lafayette
Latitude	30.22391
Longitude	-92.0373
Posted Load	25-40
Required Posting	25-40
Route	Memory Ln.
Bridge Type	BOXCLV
Year Built	1970
Bridge Name	Memory Ln. @ MINE BRANCH COULEE
Bridge Location	.3 MI SW of St.Mary Blvd
Place Code	40735 - Lafayette city
Deck Condition Rating	N
Superstructure Condition Rating	N
Substructure Condition Rating	N
Culvert Condition Rating	7
NSTM Inspection Condition	
ADT	500
Year of ADT	2020
Owner	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency
Scour Vulnerability	A
Bridge Length	29
Routine Inspection Date	1/23/2024
Special In Lieu Inspection Date	
Parish Inspection Required	N00
Parish Inspection Date	
Parish Inspection Due Date	
Inventory Load Rating Factor	0.74
Operating Load Rating Factor	0.96
Date Rated	4/1/2025

Current

Recall	200004	200012	200014	200083	200111	200112	200122	200124
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.25799	30.221059	30.22166	30.22695	30.24301	30.24303	30.21024	30.19597
Longitude	-92.11436	-92.10653	-92.10524	-92.08403	-92.0774	-92.0771	-92.1083	-92.10589
Posted Load	15-25	10-15:15	15-25	15-25	15-25	10-15	Not Posted	10-15
Required Posting	Not Posted	Not Posted	15-25	Not Posted	15-25	10-15	Not Posted	10-15
Route	Rue Bon Secours	Dulles Dr.	Fenetre Rd.	Sylvia Rd.	W. Willow St.	W. Willow St.	Le Violon Rd	W. Congress Rd.
Bridge Type	COPCSS	COPCSS	LWPCSS	COPCSS	LWPCSS	LWPCSS	LWPCSS	COPCSS
Year Built	1992	2004	1983	1989	1975	1977	1977	1973
Bridge Name	Rue Bon Secours @ COULEE	Dulles Dr. @ COULEE ILE DES CANNES	Fenetre Rd. @ ILE DES CANNES COULEE	Sylvia Rd. @ COULEE	W. Willow St. @ Coulee Mine	W. Willow St. @ COULEE	Le Violon Rd @ ILE DES CANNES COULEE	W. Congress Rd. @ ILE DES CANNES COULEE
Bridge Location	0.40 MI W of La 93	0.9 W of La 93	.94 MI East of Tabb Rd	0.40 MI S of US 90	0.36 MI W of LA 3184	0.64 MI W of LA 3184	1 MI North of Congress St	0.82 MI W of La 93
Place Code	68475 - Scott city	68475 - Scott city	68475 - Scott city	68475 - Scott city	68475 - Scott city	68475 - Scott city	68475 - Scott city	68475 - Scott city
Deck Condition Rating	7	7	6	7	6	5	5	6
Superstructure Condition Rating	7	7	6	7	6	5	5	6
Substructure Condition Rating	5	7	4	5	4	5	6	4
Culvert Condition Rating	N	N	N	N	N	N	N	N
NSTM Inspection Condition								
ADT	840	1703	200	53	1960	1960	2400	3160
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	U	A	D	D	D	D	D	D
Bridge Length	57	100	76	38	76	38	76	76
Routine Inspection Date	10/3/2023	10/5/2023	10/10/2023	10/16/2023	1/22/2024	1/22/2024	1/11/2024	10/10/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	0.77	1.11	0.36	1.40	0.49	0.33	0.64	0.35
Operating Load Rating Factor	0.99	1.69	0.47	1.81	0.63	0.42	0.83	0.45
Date Rated	6/5/2023	1/24/2006	2/12/2025	8/21/2017	6/30/2020	2/14/2025	6/5/2023	3/5/2025

Current

Current

Current

Current

Current

Current

Current

Current

Recall	200146	200343
Parish	28 - Lafayette	28 - Lafayette
Latitude	30.24191	30.23607
Longitude	-92.08903	-92.11227
Posted Load	05-10:15 ✓	03- ✓
Required Posting	15-25	03-...
Route	W. Willow St.	Delhomme Ave.
Bridge Type	LWPCSS	RRFLCR
Year Built	1978	2005
Bridge Name	W. Willow St. @ COULEE	Delhomme Ave. @ COULEE
Bridge Location	1.42 MI W of LA 3184	0.3 MI W of LA 3168
Place Code	68475 - Scott city	68475 - Scott city
Deck Condition	5	5
Superstructure	5	5
Substructure	4	7
Condition Rating	N	N
NSTMI Inspection		
ADT	1800	132
Year of ADT	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency
Maintenance	City or municipal highway agency	City or municipal highway agency
Responsibility	D	A
Scour Vulnerability	38	81
Routine Inspection	1/22/2024	1/10/2024
Special In Lieu		
Inspection Date		
Parish Inspection	N00	N00
Required		
Parish Inspection		
Date		
Parish Inspection Due		
Date		
Inventory Load	0.45	0.2
Rating Factor	0.58	0.27
Operating Load		
Rating Factor		
Date Rated	3/21/2025	1/10/2025

Current

Current

Recall	006542	006552	006562	030374	030375	030376	200043	200044
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.10934	30.10918	30.10201	30.08749	30.09069	30.10511	30.07283	30.10081
Longitude	-92.03193	-92.0229	-91.99802	-91.99723	-92.00571	-91.99713	-91.98436	-91.97367
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	E. Milton Ave.	E. Milton Ave.	Iberia St	Chemin Metairie	Chemin Metairie	Copper Meadow Blvd	Langlins Rd.	S. Larrivee Rd.
Bridge Type	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	FRACLIV	COPCSS	COPCSS
Year Built	1973	1973	1973	2008	2008	2008	1987	2005
Bridge Name	E. Milton Ave. @ ANSELM COULEE	E. Milton Ave. @ ANSELM COULEE	Iberia St @ BAYOU PARC PERDU	Chemin Metairie @ Parc Perdu Bayou	Chemin Metairie @ Parc Perdu Bayou	Copper Meadow Blvd @ Parc Perdu Bayou	Langlins Rd. @ Parc Perdu Bayou	S. Larrivee Rd. @ LA SALLE COULEE
Bridge Location	0.01 MI EAST OF LA 339	0.55 MI EAST OF LA 339	0.5 MI W of Lafayette St	0.50 MI W of La 89	.1 M West of Detente Rd.	0.40 MI W of Lafayette St	0.38 MI E of LA 89	0.08 MI S of LA 92
Place Code	83335 - Youngsville city	83335 - Youngsville city	83335 - Youngsville city	83335 - Youngsville city	83335 - Youngsville city	83335 - Youngsville city	83335 - Youngsville city	83335 - Youngsville city
Deck Condition Rating	6	6	6	6	7	N	6	7
Superstructure Condition Rating	6	6	6	6	7	N	6	7
Substructure Condition Rating	5	5	5	6	7	N	6	7
Culvert Condition Rating	N	N	N	N	N	8	N	N
NSTM Inspection Condition								
ADT	8700	8700	6620	2336	2284	158	330	766
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Maintenance Responsibility	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	A	A	D	A	A	D	A
Bridge Length	57	57	57	80	100	28	57	38
Routine Inspection Date	1/18/2024	1/18/2024	1/18/2024	1/10/2024	1/10/2024	1/10/2024	1/10/2024	1/10/2024
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	0.93	0.93	0.93	1.24	1.12	0.888	1.09	1.33
Operating Load Rating Factor	1.21	1.21	1.21	1.60	1.45	1.13	1.42	1.72
Date Rated	8/3/2020	8/3/2020	8/3/2020	6/7/2023	5/22/2009	7/12/2021	6/7/2023	1/6/2021

Recall	200051	200133
Parish	28 - Lafayette	28 - Lafayette
Latitude	30.10923	30.09482
Longitude	-91.97731	-92.00421
Posted Load	Not Posted	10-15 ✓
Required Posting	Not Posted	15-25
Route	Griffin Rd	Savoy Rd.
Bridge Type	COSLAB	COPCSS
Year Built	1998	1975
Bridge Name	Griffin Rd @ LA SALLE COULEE	Savoy Rd. @ PARC PERDU BAYOU
Bridge Location	1.0 MI NE of LA 89	0.02 miles West of LA 734
Place Code	83335 - Youngsville city	83335 - Youngsville city
Deck Condition	7	6
Superstructure	7	6
Substructure	7	5
Culvert Condition	N	N
NSTM Inspection		
ADT	2420	840
Year of ADT	2020	2020
Owner	City or municipal highway agency	City or municipal highway agency
Maintenance	City or municipal highway agency	City or municipal highway agency
Scour Vulnerability	A	D
Bridge Length	57	57
Routine Inspection	1/8/2024	1/18/2024
Special In Lieu		
Inspection Date		
Parish Inspection	N00	N00
Required		
Parish Inspection		
Date		
Parish Inspection Due		
Date		
Inventory Load	0.61	0.60
Rating Factor	0.78	0.78
Operating Load		
Rating Factor		
Date Rated	8/4/2020	1/6/2021

current

Recall	000057	000086	000171	000175	000199	030003	030021	030029
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.25542	30.07425	30.19553	30.14603	30.33162	30.14265	30.15442	30.21789
Longitude	-92.14527	-92.03111	-92.16639	-92.10668	-92.00823	-92.1088	-91.948	-92.12945
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	25-40	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	25-40	Not Posted
Route	Gazette Rd	San Marcos Drive	W Congress Street	Hapsburg Lane	Rue Des Etoilles	Elias G Road	N. Girouard Rd	Facile Rd
Bridge Type	COSLAB	FRACLV	COPCSS	COSLAB	COPCSS	COPCSS	LWPCSS	COPCSS
Year Built	2018	2016	2018	2023	2024	2019	1978	2019
Bridge Name	Gazette Rd @ Bayou Queue De Tortue	San Marcos Drive @ Retention pond	W Congress Street @ Queue de Tortue Bayou	Hapsburg Lane @ Coulee	Rue Des Etoilles @ Beau Bassin Coulee	Elias G Road @ Coulee Ile Des Cannes	N. Girouard Rd @ COULEE	Facile Rd @ Coulee Ile Des Cannes
Bridge Location	0.2 Miles West of LA 724	0.08 Mi East of LA 339	0.6 Mi E of LA 343	0.45 Mi W of US 167	2 Mi E of I-49 Front Rd.	0.5 Mi W of LA167	0.40 Mi. N. LA182- US90	0.2 M. South Jenkins Rd
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition Rating	8	N	8	8	8	8	6	8
Superstructure Condition Rating	8	N	8	8	8	8	6	8
Substructure Condition Rating	8	N	7	8	8	8	6	8
Culvert Condition Rating	N	8	N	N	N	N	N	N
NSTM Inspection Condition								
ADT	586	572	1687	150	528	774	960	442
Year of ADT	2020	2022	2020	2023	2023	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	A	A	A	A	U	A
Bridge Length	000065	24	000075	60	75	000075	58	000075
Route Inspection Date	1/10/2024	1/10/2024	1/11/2024	10/4/2023	5/23/2024	10/9/2023	10/12/2023	10/3/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	1.10	1.03	1.50	1.35	1.1	1.35	0.53	1.33
Operating Load Rating Factor	1.42	1.39	1.94	1.75	1.42	1.75	0.69	1.72
Date Rated	12/3/2018	11/16/2016	12/3/2018	5/17/2017	8/18/2024	12/11/2019	10/4/2018	12/3/2018

Current

July 2024 - J1 Annual Report

Recall	030066	030070	030108	030109	030111	030112	030113	030118
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.15519	30.14653	30.36751	30.27197	30.33085	30.10181	30.10939	30.20156
Longitude	-92.14175	-92.19679	-92.00888	-91.9838	-92.02238	-92.07277	-92.06854	-92.10827
Posted Load	Not Posted	Not Posted	10-15 ✓	Not Posted	Not Posted	Not Posted	Not Posted	25-40 ✓
Required Posting	Not Posted	Not Posted	10-15	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	S. Fieldspan Rd.	S. Dearborne Rd.	Mechre Rd.	E. Pont Des Mouton	St. Esprit Rd.	Argus Rd.	E. Edith Rd.	Le Violon Rd.
Bridge Type	COSLAB	COPCSS	COPCSS	COSLAB	COPCSS	COPCSS	COPCSS	LWPCSS
Year Built	1996	2013	1982	1986	2007	2004	1986	1977
Bridge Name	S. Fieldspan Rd. @ GRANGES COULEE	S. Dearborne Rd. @ Bayou Queue De Tortue	Mechre Rd. @ CARENGRO BAYOU	E. Pont Des Mouton @ VERMILLION RIVER	St. Esprit Rd. @ Coulee	Argus Rd. @ COULEE	E. Edith Rd. @ EDITH COULEE	Le Violon Rd. @ ILE DES CANNES COULEE
Bridge Location	0.3 MI S of LA 342	1.1 MI SOUTH OF LA 342	1.08 MI N of LA 1252	1.3 MI E OF LA 728-1	.4 MI N of W Musique Rd	.1 MI E of Grand Ave	0.50 MI W of LA 733	1.5 MI NW of LA 342
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition	7	8	7	7	7	7	6	5
Rating	7	8	7	7	7	7	6	5
Superstructure	7	8	7	7	7	7	6	5
Condition Rating	7	7	5	7	7	7	7	5
Culvert Condition	N	N	N	N	N	N	N	N
NSTMI Inspection								
Condition								
ADT	1400	20	360	2530	1082	60	400	2363
Year of ADT	2020	2020	2020	2020	2022	2022	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	U	A	D	A	A	U
Bridge Length	76	125	115	160	75	60	57	115
Routine Inspection Date	10/4/2023	1/11/2024	10/2/2023	10/3/2023	10/2/2023	10/4/2023	10/4/2023	10/25/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Inventory Load	0.61	1.19	0.79	0.79	1.13	1.18	1.01	0.72
Operating Load	0.78	1.54	1.03	1.02	1.88	1.53	1.31	1.19
Rating Factor	0.78	1.54	1.03	1.02	1.88	1.53	1.31	1.19
Date Rated	8/6/2020	2/20/2014	7/3/2018	8/28/2020	7/10/2007	7/25/2018	8/11/2020	1/24/2006

Current

Current

July 2025 Annual Report

Recall	030119	030187	030188	030193	030275	030391	030400	030403
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.26899	30.33051	30.13005	30.22524	30.16484	30.35898	30.12905	30.15501
Longitude	-92.12386	-92.08926	-92.0167	-92.14954	-92.16721	-92.01852	-92.0158	-92.00637
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	10-15	Not Posted	Not Posted	10-15
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	10-15	Not Posted	Not Posted	10-15
Route	Rue Des Babineaux	Cockpit Rd.	Venduer Rd.	Hollier Rd.	Andover Rd.	Trappey Rd.	Chemin Metairie Rd	Inez T. Rd
Bridge Type	COPCSS	COSLAB	PIPCLV	BOXCLV	RRFLCR	COSLAB	BOXCLV	TTTRES
Year Built	2013	1992	1999	1993	2001	1999	2011	1970
Bridge Name	Rue Des Babineaux @ ILE Des Cannes Coulee	Cockpit Rd. @ CARENCRRO BAYOU	Venduer Rd. @ COULEE	Hollier Rd. @ INDIAN BAYOU	Andover Rd. @ Indian Bayou Lateral	Trappey Rd. @ Drain	Chemin Metairie Rd @ COULEE	Inez T. Rd @ ISAAC VEROT COULEE
Bridge Location	0.7 MI. W. OF LA 93	1.64 MI. E of LA 93	0.41 MI. SE of La 3025	0.44 MI. W. of LA 724	0.35 MI. N. LA 342	0.2 MI. N of Kidder Road	0.43 MI S LA 3073	0.12 MI NW of Bonin Rd
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition	8	7	N	N	6	7	N	5
Rating	8	7	N	N	6	7	N	4
Superstructure Condition Rating	8	7	N	N	6	7	N	4
Substructure Condition Rating	8	7	N	N	6	8	N	4
Culvert Condition Rating	N	N	7	7	N	N	8	N
NSTM Inspection Condition								
ADT	238	640	100	140	26	1110	1110	8
Year of ADT	2020	2020	2020	2020	2022	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	A	A	A	A	A	A
Bridge Length	75	80	22	21	90	38	24	46
Routine Inspection Date	10/2/2023	10/10/2023	1/10/2024	10/16/2023	10/10/2023	10/2/2023	10/4/2023	10/18/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load	1.21	0.81	1.18	1.00	0.38	1.43	1.20	0.6
Operating Load	1.57	1.05	1.53	1.30	0.49	1.85	1.57	0.86
Rating Factor	1.57	1.05	1.53	1.30	0.49	1.85	1.57	0.86
Date Rated	8/28/2013	12/6/2019	1/26/2020	10/1/2024	9/4/2018	12/8/2008	2/1/2021	1/18/2024

Current

Current

Recall	030404	030423	030433	030462	030511	030514	030523	032801
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.29513	30.35582	30.15791	30.19864	30.1002	30.27582	30.12296	30.27582
Longitude	-92.0836	-92.0177	-91.94322	-92.24995	-92.07355	-92.04861	-92.13271	-92.05965
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	15-25	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	Landsdowne Way	Kidder Rd	Bayou Tortue Rd.	Theriot Rd.	ESPASIE RD	W. Pont Des Mouton	LEBLANC RD	Lebesque Rd
Bridge Type	COPCSS	COPSGR	COPCSS	COSLAB	FRACLV	FRACLV	COPSGR	FRACLV
Year Built	2008	2013	2013	2015	2017	2006	2018	2019
Bridge Name	Landsdowne Way @ DRAIN	Kidder Rd @ DRAIN	Bayou Tortue Rd. @ COULEE FORTUNE	Theriot Rd. @ QUELLE DE TORTUE BAYOU	ESPASIE RD @ EDITH COULEE	W. Pont Des Mouton @ Gaston Coulee	LEBLANC RD @ COULEE	Lebesque Rd @ Coulee Mine
Bridge Location	0.2 MI SE of Albion Way	.40 MI N OF LA 1252	5.0 MI. WEST OF LA 96	1.1 MI E of LA 35	0.46 MI S OF LA 92	0.1 MI. W. of La 182	1.1 MI. W. OF US 167	0.6 MI. W. OF LA 182
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition	7	7	7	8	N	N	8	N
Superstructure	7	7	7	8	N	N	8	N
Condition Rating	8	7	8	8	N	N	8	N
Culvert Condition	N	N	N	N	8	8	N	8
NSTM Inspection Condition								
ADT	128	317	1310	66	702	11091	1153	5010
Year of ADT	2020	2020	2020	2020	2022	2024	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	A	A	A	A	A	A
Bridge Length	25	40	75	105	0032	000022	80	000024
Routine Inspection Date	10/3/2023	1/9/2024	1/29/2024	10/3/2023	10/5/2023	10/17/2023	10/5/2023	1/9/2024
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load	1.05	1.12	1.14	1.07	1.16	0.91	1.01	1.50
Rating Factor	1.95	1.62	1.48	1.39	1.39	1.09	1.55	1.89
Operating Load								
Rating Factor								
Date Rated	2/16/2011	8/22/2013	9/30/2013	2/18/2016	3/30/2018	3/30/2018	9/18/2018	6/11/2019

Current

July 2024 Annual Report

Recall	032813	200003	200006	200008	200009	200011	200019	200021
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.34696	30.24044	30.30396	30.32564	30.30983	30.06557	30.29053	30.27763
Longitude	-92.08298	-92.14451	-91.97703	-91.99965	-91.99026	-91.97603	-92.05852	-92.04953
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	15-25
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	15-25
Route	Gendarme Rd	Anderson Rd	St. Claire Rd.	Beau Bassin Rd.	Beau Bassin Rd	Plat Rd.	Malapart Rd.	Birdsong Rd.
Bridge Type	COPCSS	LWPCSS	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	LWPCSS
Year Built	2022	1980	1986	2011	1992	1987	1991	1984
Bridge Name	Gendarme Rd @ Bayou Carencro	Anderson Rd @ QUEUE DE TORTUE BAYOU	St. Claire Rd. @ ST. CLAIR BAYOU	Beau Bassin Rd. @ GASTON COULEE	Beau Bassin Rd @ COULEE	Plat Rd. @ Parc Perdu Bayou	Malapart Rd. @ MIMS COULEE	Birdsong Rd. @ GASTON COULEE
Bridge Location	2.6 MI. SW OF LA 182	0.15 MI W of LA 724	1.4 MI W of Sawmill Hwy	2.6 MI N of LA 98	1.34 MI N of LA 98	0.4 MI E of La 89	0.5MI WEST OF LA 182	0.02 MI E of LA 182
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition	8	6	6	7	7	6	7	5
Rating	8	6	6	7	7	6	7	5
Superstructure	8	6	6	7	7	6	7	5
Condition Rating	8	6	6	7	7	6	7	5
Substructure	7	5	7	8	4	6	7	7
Condition Rating	7	5	7	8	4	6	7	7
Culvert Condition	N	N	N	N	N	N	N	N
Rating	N	N	N	N	N	N	N	N
NSTM Inspection								
Condition								
ADT	380	317	720	145	650	1550	780	400
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	D	A	A	U	U	U	A
Bridge Length	75	38	95	75	76	57	40	39
Routine Inspection Date	1/8/2024	10/5/2023	10/2/2023	1/30/2024	10/2/2023	10/17/2023	10/10/2023	10/10/2023
Special In Lieu								
Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due								
Inventory Load	0.94	1	1.14	1.13	1.22	1.5	1.5	0.50
Rating Factor	0.94	1	1.14	1.13	1.22	1.5	1.5	0.50
Operating Load	1.59	1.63	1.47	1.46	1.58	2.5	2.5	0.65
Rating Factor	1.59	1.63	1.47	1.46	1.58	2.5	2.5	0.65
Date Rated	1/1/2023	12/10/1990	8/10/2020	12/7/2011	7/11/2018	12/22/1986	1/15/1988	4/27/2018

current

Recall	200024	200028	200034	200039	200041	200047	200048	200049
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.18097	30.2661	30.33401	30.35278	30.09188	30.12374	30.07242	30.09718
Longitude	-92.16508	-92.12713	-92.04133	-92.08444	-92.06276	-92.03047	-92.05475	-92.05152
Posted Load	Not Posted	Not Posted	Not Posted	30-XX 30-XX	Not Posted	Not Posted	15-25	25-40
Required Posting	Not Posted	Not Posted	Not Posted	30-XX	Not Posted	Not Posted	15-25	25-40
Route	Ridge Rd.	Rue Des Babineaux	Debutante Rd.	Waters Rd	Savoy Rd.	Fortune Rd	Gallet Rd.	Gallet Rd
Bridge Type	COPCSS	COPCSS	PIPCLV	COPCSS	COPCSS	COSLAB	COPCSS	TTTRES
Year Built	1987	2013	1986	1990	2002	2002	1982	1968
Bridge Name	Ridge RD. @ INDIAN BAYOU (SPOIL BANK	Rue Des Babineaux @ COULEE ILE DES CANNES	Debutante Rd. @ COULEE	Waters Rd @ BAYOU CARENCRE	Savoy Rd. @ ANSELM COULEE	Fortune Rd @ ANSELM COULEE	Gallet Rd. @ DARBY COULEE	Gallet Rd @ ANSELM COULEE
Bridge Location	0.65 MI E of LA 343	0.9 MI. W. OF LA 93	0.30 MI SE of I-49	0.1 MI WEST OF GENDARME RD	1.85 MI W of LA 339	0.1 MI E of LA 339	2.7 MI SE of LA 92	.9 MI S of LA 92
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition	6	8	N	6	6	7	6	7
Rating	6	8	N	6	6	7	6	7
Superstructure	6	8	N	6	6	7	6	7
Condition Rating	4	7	N	4	6	7	5	7
Condition Rating	4	7	N	4	6	7	5	7
Culvert Condition	N	N	5	N	N	N	N	N
NSTMI Inspection Condition								
ADT	2790	304	520	500	343	3650	700	840
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	A	D	A	A	D	D
Bridge Length	60	75	25	76	57	60	38	30
Routine Inspection Date	10/4/2023	10/1/2023	1/9/2024	1/8/2024	1/10/2024	1/8/2024	1/18/2024	1/22/2024
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load	1.5	1.21	2.38	0.62	1.05	0.81	0.41	1
Rating Factor	2.5	1.57	2.42	0.80	1.33	1.05	0.53	1.4
Operating Load								
Rating Factor								
Date Rated	12/22/1986	8/28/2013	6/26/2015	2/9/2024	5/27/2009	8/4/2020	4/5/2018	2/1/2024

Current

Current

Current

Recall	200055	28 - Lafayette	200057	28 - Lafayette	200058	28 - Lafayette	200062	28 - Lafayette	200114	28 - Lafayette	200115	28 - Lafayette	200117	28 - Lafayette	200118	28 - Lafayette
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.14599	30.05107	30.07851	30.13706	30.15391	30.13706	30.15391	30.15391	30.15391	30.30948	30.30948	30.34257	30.34257	30.28407	30.28407	30.28407
Longitude	-92.11648	-91.99066	-92.03709	-92.14865	-91.98636	-92.14865	-91.98636	-91.98636	-91.98636	-91.98935	-91.98935	-91.06649	-91.06649	-91.97273	-91.97273	-91.97273
Posted Load	25-40	Not Posted	05... <i>Closed</i>	Not Posted	20-35	Not Posted	20-35	20-35	20-35	20-35	20-35	30-XX	30-XX	30-XX	10-15	10-15
Required Posting	25-40	Not Posted	05...	Not Posted	20-35	Not Posted	20-35	20-35	20-35	20-35	25-40	30-XX	30-XX	30-XX	10-15	10-15
Route	Breaux Rd.	Guillot Rd.	Switzerland Rd.	Sellers Rd	Bayou Tortue Rd.	Sellers Rd	Bayou Tortue Rd.	Beau Bassin @ VERMILLION RIVER	Beau Bassin	Bajaj Rd	Bajaj Rd	Bajaj Rd @ COULEE	Lajaunie Rd @ COULEE	Lajaunie Rd	Lajaunie Rd	Lajaunie Rd
Bridge Type	TTTRES	COPCSS	RRELCR	COPCSS	LWPCSS	COPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS	LWPCSS
Year Built	1970	1991	1985	2013	1967	2013	1967	1970	1979	1979	1970	1979	1979	1978	1978	1978
Bridge Name	Breaux Rd. @ COULEE	Guillot Rd. @ COULEE	Switzerland Rd. @ DARBY COULEE	Sellers Rd @ COULEE GRANGES	Bayou Tortue Rd. @ TORTUE BAYOU	Sellers Rd @ COULEE GRANGES	Bayou Tortue Rd. @ TORTUE BAYOU	Beau Bassin @ VERMILLION RIVER	Beau Bassin	Bajaj Rd @ COULEE	Bajaj Rd @ COULEE	Lajaunie Rd @ COULEE	Lajaunie Rd @ COULEE	Lajaunie Rd @ COULEE	Lajaunie Rd @ COULEE	Lajaunie Rd @ COULEE
Bridge Location	1.5 MI S of LA 724	1.0 MI S of LA 89	0.1 miles S of Simon Rd.	1.65 MI E of LA 343	2.60 MI NW of LA 96	1.65 MI E of LA 343	2.60 MI NW of LA 96	1.34 MI NW of LA 98	0.1 MI S of Ombraige Rd	.75 MI SW of LA 98	.75 MI SW of LA 98	.75 MI SW of LA 98	.75 MI SW of LA 98	.75 MI SW of LA 98	.75 MI SW of LA 98	.75 MI SW of LA 98
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition	8	7	5	8	6	8	6	5	5	5	5	5	7	7	7	6
Rating	8	7	5	8	6	8	6	5	5	5	5	5	7	7	7	6
Superstructure Condition Rating	6	7	4	8	6	8	6	5	5	5	5	5	7	7	7	6
Substructure Condition Rating	5	7	7	7	6	7	6	5	5	5	5	5	5	5	5	5
Condition Rating	5	7	7	7	6	7	6	5	5	5	5	5	5	5	5	5
Culvert Condition Rating	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NSTIM Inspection Condition																
ADT	200	440	16	594	300	594	300	660	317	317	660	1160	1160	1160	1160	1160
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020	2022	2022	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	D	A	A	A	D	A	D	D	D	D	D	D	D	D	D	D
Bridge Length	56	38	61	60	57	60	57	152	38	38	152	38	38	38	38	58
Routine Inspection Date	10/9/2023	1/8/2024	1/18/2024	10/9/2023	1/23/2024	10/9/2023	1/23/2024	1/22/2024	1/23/2024	1/22/2024	1/22/2024	1/9/2024	1/9/2024	1/22/2024	1/22/2024	1/22/2024
Special In Lieu																
Inspection Date																
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date																
Parish Inspection Due Date																
Inventory Load	1	1.13	0.27	0.85	0.54	0.85	0.54	0.58	0.62	0.62	0.58	0.62	0.62	0.52	0.52	0.52
Rating Factor	1.46	1.47	0.35	1.10	0.70	1.10	0.70	0.76	0.81	0.81	0.76	0.81	0.81	0.68	0.68	0.68
Operating Load Rating Factor	1.46	1.47	0.35	1.10	0.70	1.10	0.70	0.76	0.81	0.81	0.76	0.81	0.81	0.68	0.68	0.68
Date Rated	12/18/2023	8/11/2020	9/4/2018	7/30/2013	5/11/2018	7/30/2013	5/11/2018	5/16/2018	10/5/2021	10/5/2021	5/16/2018	10/5/2021	10/5/2021	9/25/2018	9/25/2018	9/25/2018

Current

Current/
Closed

Current

Current

Current

Current

Recall	200143	28 - Lafayette	200144	28 - Lafayette	200145	28 - Lafayette	200148	28 - Lafayette	200323	28 - Lafayette	200344	28 - Lafayette	030024	28 - Lafayette	030025	28 - Lafayette
Parish	28 - Lafayette	30.12522	30.1441	30.13444	30.13722	30.1368	30.1585	30.1368	30.12626	30.28618	30.28585	30.28585	30.28618	-91.99248	-91.98568	-91.98568
Latitude	-92.11981	-92.11489	-92.11439	-92.01585	-92.22597	-92.22597	-92.0933	-92.0933	-91.99248	-91.98568	-91.98568	-91.98568	-91.98568	-91.98568	-91.98568	-91.98568
Longitude	Not Posted	25-40	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25
Posted Load	Not Posted	25-40	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25
Required Posting	Not Posted	25-40	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25	15-25
Route	Leblanc Rd.	Elias G. Rd.	Bourque Rd	Chemin Metairie	Hoffpauir Rd.	Robley Dr.	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch	E. Butcher Switch
Bridge Type	CCPSSGR	LWPCSS	LWPCSS	LWPCSS	COCHAN	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	COPCSS	LWPCSS	LWPCSS
Year Built	2013	1972	1974	1979	1970	2010	2006	2006	2006	2006	2006	2006	2006	2006	1984	1984
Bridge Name	Leblanc Rd. @ ILE DES CANNES COULEE	Elias G. Rd. @ ILE DES CANNES COULEE	Bourque Rd @ ILE DES CANNES COULEE	Chemin Metairie @ COULEE	Hoffpauir Rd. @ INDIAN BAYOU	Robley Dr. @ ILE DES CANNES COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE	E. Butcher Switch @ OAK COULEE
Bridge Location	0.30 Mi W of US 167	0.8 Mi W. of US 167	0.4 Mi W of US 167	0.1 MI N. of La 3073	1.71 MI SE of LA 342	1.4 MI S of E Broussard Rd	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49	1.80MI E of I-49
Place Code	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place	00000 - Unassigned Place
Deck Condition Rating	7	6	5	7	6	8	7	7	8	7	7	7	7	7	7	7
Superstructure Condition Rating	8	6	5	7	6	8	7	7	8	7	7	7	7	7	7	7
Substructure Condition Rating	8	5	5	5	7	7	6	7	7	7	7	7	7	7	7	7
Condition Rating	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Culvert Condition Rating	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
NSTMI Inspection Condition																
ADT	620	180	800	580	80	2020	1003	1003	2020	224	2020	224	2020	224	2020	224
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	D	D	D	D	D	A	A	A	A	A	A	A	A	A	A
Bridge Length	120	114	114	38	100	151	57	57	57	57	57	57	57	57	57	57
Routine Inspection Date	10/4/2023	10/24/2023	10/24/2023	1/22/2024	1/11/2024	1/11/2024	10/3/2023	10/3/2023	10/3/2023	10/3/2023	10/3/2023	10/3/2023	10/3/2023	10/3/2023	10/3/2023	10/3/2023
Special In Lieu Inspection Date																
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date																
Parish Inspection Due Date																
Inventory Load	1.23	0.58	0.51	0.46	0.77	1.41	1.05	1.05	1.41	1.05	1.05	1.05	1.05	1.05	1.05	1.05
Rating Factor	1.59	0.76	0.66	0.60	1.07	1.83	1.8	1.8	1.83	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Date Rated	11/25/2013	5/15/2018	5/7/2018	8/28/2018	5/3/2018	12/7/2010	5/1/2006	5/1/2006	12/7/2010	5/1/2006	5/1/2006	5/1/2006	5/1/2006	5/1/2006	5/1/2006	5/1/2006

Current

Current

Current

July 2024 - Annual Report

Recall	030069	030107	030114	030123	030247	030325	030336	030337
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.27873	30.30921	30.18033	30.17768	30.18128	30.18153	30.26123	30.26093
Longitude	-91.9933	-92.10783	-92.09998	-92.00081	-92.08621	-92.04893	-91.99553	-91.99581
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	Maryview Farm Rd.	Vatican Rd.	W. Broussard Rd.	E. Verot School Rd	Ridge Rd.	Camellia Blvd.	Louisiana Ave.	Louisiana Ave.
Bridge Type	COPCSS	COSLAB	COPCSS	COSLAB	COSLAB	CNITCDG	CCPSGR	CCPSGR
Year Built	2006	2002	2007	1991	1997	2003	2004	2004
Bridge Name	Maryview Farm Rd. @ DRAIN	Vatican Rd. @ CREEK	W. Broussard Rd. @ COULEE	E. Verot School Rd @ DES POCHES COULEE	Ridge Rd. @ DRAINAGE CANAL	Camellia Blvd. @ VERMILION RIVER	Louisiana Ave. @ COULEE	Louisiana Ave. @ COULEE
Bridge Location	.9 Mi East of LA 728-1	0.5 MI W of LA 93	0.06 MI S of LA 342	0.8 MI SW of US 90	.3 MI E of Rue Du Beller	0.9 MI S. of US 167	0.57 MI S of I-10	1.93 MI N of La 94
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	7	6	6	7	7	7	7
Rating	7	7	6	6	7	7	7	7
Superstructure Condition Rating	7	7	6	6	7	7	7	7
Substructure Condition Rating	6	7	6	7	7	7	7	7
Culvert Condition Rating	N	N	N	N	N	N	N	N
NSTTM Inspection Condition								
ADT	752	800	2059	8989	13000	13385	4250	4675
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	U	A	A	A	A	A
Bridge Length	76	79	100	76	160	551	150	150
Routine Inspection Date	10/23/2023	10/10/2023	10/9/2023	10/16/2023	1/18/2024	10/25/2023	10/17/2023	10/17/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	1.16	0.80	1.02	0.64	0.74	0.94	1.47	1.47
Operating Load Rating Factor	1.50	1.03	1.88	0.83	0.96	1.25	2.27	2.27
Date Rated	7/24/2018	8/6/2020	3/1/2007	8/28/2020	8/4/2020	1/4/2013	4/19/2005	4/19/2005

Recall	030356	030357	030384	030392	030401	030402	030478	030504
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.18838	30.18257	30.27386	30.1783	30.22185	30.16491	30.28277	30.25841
Longitude	-92.07995	-92.08354	-91.99262	-92.09157	-92.05691	-91.9811	-91.99338	-91.98111
Posted Load	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted	Not Posted
Route	Curran Ln.	S. Domingue Ave.	Louisiana Ave.	Rue Du Bellier	Wall St	Consolidated Dr.	ACORN DRIVE	LAJAUNIE RD
Bridge Type	COSLAB	COSLAB	FRACLV	FRACLV	BOXCLV	COPCSS	FRACLV	COPSGR
Year Built	2007	2007	2010	2009	2011	1999	2016	2017
Bridge Name	Curran Ln. @ CANAL	S. Domingue Ave. @ Ill Des Cannes-Lat 7	Louisiana Ave. @ COULEE	Rue Du Bellier @ CREEK	Wall St @ COULEE	Consolidated Dr. @ DRAINAGE	ACORN DRIVE @ OAK COULEE	LAJAUNIE RD @ VERMILLION RIVER
Bridge Location	0.3 MI W of Amb Cafery	0.09 MI N of Ridge Rd	.3 mi N of I-10	0.25 MI S of LA 93	.07 MI E of Delta RD	0.04 MI E. of Tideland Rd	0.9 miles E of LA 176	1.10 M S of I-10
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city
Deck Condition	7	7	N	N	N	6	N	8
Rating	7	7	N	N	N	6	N	8
Superstructure Condition Rating	7	7	N	N	N	6	N	8
Substructure Condition Rating	7	7	N	N	N	7	N	8
Culvert Condition Rating	N	N	7	7	7	N	7	N
NSTM Inspection Condition								
ADT	1848	1782	1967	3472	146	1769	200	680
Year of ADT	2020	2020	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	A	A	A	A	A	A
Bridge Length	80	100	48	36	24	95	28	160
Routine Inspection Date	1/18/2024	1/18/2024	10/24/2023	10/5/2023	10/10/2023	10/17/2023	10/19/2023	1/23/2024
Special In Lieu								
Inspection Date Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due								
Inventory Load Rating Factor	1.02	1.12	0.98	1.02	1.08	1.26	0.44	0.89
Operating Load Rating Factor	1.64	1.46	1.26	1.29	1.40	1.63	1	1.53
Date Rated	7/17/2018	7/19/2018	4/15/2021	9/1/2021	8/13/2020	12/7/2010	5/1/2006	9/5/2017

Recall	030512	030513	200036	200071	200137	200147	200064	006570
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.21478	30.24363	30.3393	30.29682	30.13994	30.27434	30.12023	30.10197
Longitude	-92.08041	-92.08012	-92.0719	-91.99185	-92.025	-92.03632	-92.11415	-91.97446
Posted Load	Not Posted	Not Posted	Not Posted	15-25	20-35	15-25	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted	Not Posted	20-35	15-25	Not Posted	Not Posted
Route	OLE COLONY RD	WILLOW ST	Fatima Rd	Irby Rd.	La Neuville Rd.	W. Pont Des Mouton	Amburst Rd.	Young St.
Bridge Type	BOXCLV	BOXCLV	COPCSS	BOXCLV	LWPCSS	FRACLV	COSLAB	COSLAB
Year Built	2014	1981	2006	2002	1976	2007	2002	1959
Bridge Name	OLE COLONY RD @ COULEE	WILLOW ST @ COULEE	Fatima Rd @ COULEE	Irby Rd. @ COULEE	La Neuville Rd. @ COULEE	W. Pont Des Mouton @ CANAL	DES CANNES COULEE	Young St. @ LASALLE COULEE
Bridge Location	0.2 MI W. OF LA 3073	0.4 mi East of LA 3184	0.3 MI W of Bajat Rd	0.19 MI East of Dupre St	0.45 MI East of LA 339	1.07 MI W of I-49	0.2 MI S. of Allister Rd	1.88 MI W of US 90
Place Code	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	40735 - Lafayette city	49240 - Maurice village	83335 - Youngsville city
Deck Condition Rating	N	N	8	N	7	N	7	7
Superstructure Condition Rating	N	N	8	N	7	N	7	7
Substructure Condition Rating	N	N	7	N	5	N	7	6
Culvert Condition Rating	8	8	N	7	N	7	N	N
NSTM Inspection Condition								
ADT	1929	4115	145	100	780	5584	450	7700
Year of ADT	2022	2022	2020	2020	2020	2020	2020	2020
Owner	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Maintenance Responsibility	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency	County highway agency
Scour Vulnerability	A	A	D	A	D	A	A	A
Bridge Length	26	35.0	50	33	57	24	180	60
Route Inspection Date	10/23/2023	10/19/2023	1/8/2024	1/9/2024	1/22/2024	1/8/2024	10/5/2023	10/17/2023
Special In Lieu Inspection Date								
Parish Inspection Required	N00	N00	N00	N00	N00	N00	N00	N00
Parish Inspection Date								
Parish Inspection Due Date								
Inventory Load Rating Factor	0.97	1	1.25	1	0.52	0.92	0.80	0.69
Operating Load Rating Factor	1.19	1.3	2.08	1.3	0.67	1.07	1.03	0.90
Date Rated	1/27/2021	10/1/2024	1/4/2008	10/1/2024	5/10/2018	3/30/2018	8/6/2020	5/23/2022

Current

Current

Current

Recall	030067	030080	200082
Parish	28 - Lafayette	28 - Lafayette	28 - Lafayette
Latitude	30.23113	30.22596	30.23146
Longitude	-92.19303	-92.18451	-92.18446
Posted Load	Not Posted	Not Posted	Not Posted
Required Posting	Not Posted	Not Posted	Not Posted
Route	Austria Rd.	S. A RD.	South A St.
Bridge Type	COSLAB	LWPCSS	COPCSS
Year Built	1997	1977	1983
Bridge Name	Austria Rd. @ BAYOU QUEUE DE TORTUE	S. A RD. @ COULEE	South A St. @ QUEUE DE TORTUE BAYOU
Bridge Location	0.30 MI SOUTH US 90	0.6 miles South of US 90	0.25 MI S of US 90
Place Code	22255 - Duson town	22255 - Duson town	22255 - Duson town
Deck Condition Rating	7	6	7
Superstructure Condition Rating	7	6	7
Substructure Condition Rating	7	5	5
Culvert Condition Rating	N	N	N
NSTMI Inspection Condition			
ADT	40	66	100
Year of ADT	2020	2020	2022
Owner	Town or township highway agency	Town or township highway agency	Town or township highway agency
Maintenance Responsibility	Town or township highway agency	Town or township highway agency	Town or township highway agency
Scour Vulnerability	A	U	D
Bridge Length	76	38	38
Routine Inspection Date	10/3/2023	10/16/2023	1/10/2024
Special In Lieu Inspection Date			
Parish Inspection Required	N00	N00	N00
Parish Inspection Date			
Parish Inspection Due Date			
Inventory Load Rating Factor	0.56	1	0.72
Operating Load Rating Factor	0.73	1.63	0.93
Date Rated	8/6/2020	10/14/1994	6/27/2017

Recall	030117
Parish	28 - Lafayette
Latitude	30.21976
Longitude	-92.06428
Posted Load	Not Posted
Required Posting	Not Posted
Route	Eraсте Landry Rd
Bridge Type	COSLAB
Year Built	2001
Bridge Name	Eraсте Landry Rd @ MINE COULEE
Bridge Location	0.7 MI W of LA 3184
Place Code	40735 - Lafayette city
Deck Condition Rating	7
Superstructure Condition Rating	7
Substructure Condition Rating	7
Culvert Condition Rating	N
NSTM Inspection Condition	
ADT	8580
Year of ADT	2020
Owner	Town or township highway agency
Maintenance Responsibility	Town or township highway agency
Scour Vulnerability	A
Bridge Length	100
Routine Inspection Date	1/8/2024
Special In Lieu Inspection Date	
Parish Inspection Required	N00
Parish Inspection Date	
Parish Inspection Due Date	
Inventory Load Rating Factor	0.88
Operating Load Rating Factor	1.13
Date Rated	5/27/2009

Recall	200016
Parish	28 - Lafayette
Latitude	30.22583
Longitude	-92.0984
Posted Load	03-... ✓
Required Posting	15-25
Route	Provost Rd
Bridge Type	TTTRES
Year Built	2012
Bridge Name	Provost Rd @ COULEE
Bridge Location	0.40 Mi S of Caroline St
Place Code	68475 - Scott city
Deck Condition Rating	7
Superstructure Condition Rating	7
Substructure Condition Rating	7
Culvert Condition Rating	N
NSTM Inspection Condition	
ADT	1200
Year of ADT	2020
Owner	Town or township highway agency
Maintenance Responsibility	Town or township highway agency
Scour Vulnerability	A
Bridge Length	36
Routine Inspection Date	10/16/2023
Special In Lieu Inspection Date	
Parish Inspection Required	N00
Parish Inspection Date	
Parish Inspection Due Date	
Inventory Load Rating Factor	0.8
Operating Load Rating Factor	1.06
Date Rated	2/22/2024

Current



Internal Memorandum

Public Works Department
Capital Improvement and Development (5134)

TO: Rachel Godeaux **DATE:** September 16, 2025
THRU: Warren Abadie *lv*
FROM: Fred Trahan
SUBJECT: **Joint Council Agenda Item**
Off-System Bridge Replacement Program

A requirement for a Parish to remain in compliance in the State Off-System Bridge Replacement Program is for the governing agency to adopt a resolution certifying that the Parish will comply with the requirements of the State during the annual reporting period (January 1st through December 31st).

This is to advise you that we will meet all the requirements of the State. Transmitted herewith for your review and submittal to the Council is a Resolution as required by the State DOTD. Please place this Resolution on the next agenda

If you approve, please place this on the Joint Council agenda to be introduced on Tuesday, October 7, 2025.

Please advise if there are any questions.

A handwritten signature in blue ink, appearing to read 'Fred Trahan', written over a horizontal line.

Frederick J. Trahan, P.E.
Public Works Civil Engineering Supervisor
Project Control

FT/lv

Attachments

c: Kenneth Brinkley
Tara Cazares
Project File

RECEIVED

SEP 17 2025

OFFICE OF THE CAO

LAFAYETTE JOINT COUNCIL MEETING

AGENDA ITEM SUBMITTAL FORM

1) JUSTIFICATION FOR REQUEST: A Resolution of the Lafayette City Council and the Lafayette Parish Council certifying that Lafayette Parish will comply with the requirements of the State of Louisiana Off-System Bridge Replacement Program

2) ACTION REQUESTED: Adoption of Resolution

3) COUNCIL DISTRICT(S) (CIP PROGRAM/PROJECTS ONLY): _____

4) REQUESTED ACTION OF COUNCIL:

A) INTRODUCTION: October 7, 2025

B) FINAL ADOPTION: October 7, 2025

5) DOCUMENTATION INCLUDED WITH THIS REQUEST:

A) Cover Memo (1 page)

B) Submittal Form (1 page)

C) Resolution (2 pages)

D) Bridge List (33 pages)

6) FISCAL IMPACT:

_____ Fiscal Impact (Explain)

X _____ No Fiscal Impact

RECOMMENDED BY:



WARREN ABADIE
DIRECTOR OF PUBLIC WORKS

APPROVED FOR AGENDA:



RACHEL GODEAUX
CHIEF ADMINISTRATIVE OFFICER

